

Contents of *Animal Feed Science and Technology*, Volume 107

VOL. 107 NOS. 1–4

30 JUNE 2003

Ruminants

- Effect of feeding methionine supplements with different rumen escape values on performance of high producing dairy cows in early lactation
K. Uchida (Chazy, NY, USA and Tokyo, Japan), P. Mandevu, C.S. Ballard, C.J. Sniffen and M.P. Carter (Chazy, NY, USA) 1
- Effect of heat processing of protein sources on the disappearance of their selenium from mobile bags in the digestive tract of dairy cows
J.B.J. van Ryssen and G.E. Schroeder (Pretoria, South Africa) 15
- Rumen degradation characteristics of nutrients in compound feeds and the evaluation of tables, laboratory methods and NIRS as predictors
J.L. De Boever, J.M. Vanacker and D.L. De Brabander (Melle, Belgium) 29
- Using the NRC-2001 model and the DVE/OEB system to evaluate nutritive values of Harrington (malting-type) and Valier (feed-type) barley for ruminants
P. Yu, J.A. Meier, D.A. Christensen, B.G. Rossnagel and J.J. McKinnon (Saskatoon, Canada) .. 45
- Chemical composition and nutrients availability for goats and sheep of two-stage olive cake and olive leaves
A.I. Martín García, A. Moumen, D.R. Yáñez Ruiz and E. Molina Alcaide (Granada, Spain) ... 61
- Development and evaluation of a pelleted feedstuff containing condensed corn steep liquor and raw soybean hulls for dairy cattle diets
J.M. DeFrain, J.E. Shirley, K.C. Behnke, E.C. Titgemeyer (Manhattan, KS, USA) and R.T. Ethington (Marshall, MN, USA) 75
- In situ digestibility of protein in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition
K. Ljøkjel, O.M. Harstad, E. Prestløkken and A. Skrede (Ås, Norway) 87
- In situ digestibility of starch in barley grain (*Hordeum vulgare*) and peas (*Pisum sativum* L.) in dairy cows: influence of heat treatment and glucose addition
K. Ljøkjel, O.M. Harstad, E. Prestløkken and A. Skrede (Ås, Norway) 105

Non-Ruminants

- Evaluation of the variability in chemical composition and digestibility of different lupin (*Lupinus angustifolius*) kernel meals when fed to rainbow trout (*Oncorhynchus mykiss*)
B. Glencross, J. Curnow (North Beach, Australia) and W. Hawkins (South Perth, Australia) ... 117
- Effects of different sources and levels of dietary fibre in diets on performance, digesta characteristics and antibiotic treatment of pigs after weaning
J.R. Pluske, B. Black, D.W. Pethick, B.P. Mullan and D.J. Hampson (Murdoch, Australia) 129
- Effects of source and level of magnesium and Vitamin E on prevention of hepatic peroxidation and oxidative deterioration of broiler meat
Y. Guo, G. Zhang, J. Yuan and W. Nie (Beijing, PR China) 143

General Topics

Merit of <i>Gleditsia triacanthos</i> pods in animal feeding. Chemical composition and nutritional evaluation A.M. Bruno-Soares and J.M.F. Abreu (Lisboa, Portugal)	151
Changes in the levels of histamine during processing and storage of fish meal S. Köse (Trabzon, Turkey), P. Quantick and G. Hall (England, UK)	161
Effects of processing factors on in vitro ammonia release from cooked molasses blocks containing urea A.M. Trauter, E.C. Titgemeyer, J.S. Drouillard and J.N. Pike (Manhattan, KS, USA)	173

Methodologies

Effect of preparation method on composition and NIR spectra of forage samples D. Alomar, R. Fuchslocher and M. de Pablo (Valdivia, Chile)	191
--	-----

Short communications

Use of fibrolytic enzymes to improve the nutritive value of ruminant diets. A biochemical and in vitro rumen degradation assessment D. Colombatto (Reading, UK and Buenos Aires, Argentina), F.L. Mould (Reading, UK), M.K. Bhat (Norwich, UK) and E. Owen (Reading, UK)	201
Rumen degradability characteristics of xylose treated canola and soybean meals S.D. Tuncer and P. Sacakli (Ankara, Turkey)	211

Contents of <i>Animal Feed Science and Technology</i>, Volume 107.	219
---	-----

